


# Monitoring and Surveillance Subcommittee



Deciding what data to collect and what to do with it....

# Mortality Trends in Tuolumne County and California for the Eight Most Common Causes of Death, in 3-year Cohorts from 2002-2010



National data indicates an increase in suicide rate for people aged 35 to 64 years...



Weekly / Vol. 62 / No. 17



Morbidity and Mortality Weekly Report

May 3, 2013


## Suicide Among Adults Aged 35–64 Years — United States, 1999–2010

Suicide is an increasing public health concern. In 2009, the number of deaths from suicide surpassed the number of


were used for comparisons. Data also were analyzed by age group, race/ethnicity,\* and U.S. Census region.




## Tuolumne County Suicide by Age & Gender, 1990-2011




### 2001 - 2012 Tuolumne County Suicides, Ages 35 to 64 Years



## Tuolumne Co and California Suicide Rates, 1990-2012




**Self-inflicted Injury Rates, Tuolumne County Females, 2009-2012**




Females

**Self-inflicted Injury Rates, Tuolumne County Males, 2009-2012**




Males

## ED and Urgent Care Self-Inflicted Injuries, 2009-2012






### Number of Self Inflicted Injuries by Age in Tuolumne County, 2009 - 2012



## Tuolumne County Suicides by Method and Gender, 1990-2012





### Means of Completed Suicide, Tuolumne and Santa Clara Counties, 1999-2007

